

**CLASSIC**




HM

**EN847-1**

**LSC.964BA**

**LAME CIRCULAIRE POUR MACHINES PORTATIVE ET À ONGLETS**

- Denture alternée pour bois.
- Lames jusqu'à 235 mm livrées avec bagues de réduction.  
Alésage 20 (20/16 + 20/12,7) et alésage 30 (30/16 + 30/20).



**BOIS, BOIS LATTÉ, CONTREPLAQUÉ**

|  |  |  |  | REF                 |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------|-------------------------------------------------------------------------------------|
| 100                                                                               | 20                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.100.2024</b> | 3510789641006                                                                       |
| 120                                                                               | 20                                                                                | 1,8/1,2                                                                           | 24                                                                                | <b>964.120.2024</b> | 3510785435067                                                                       |
| 125                                                                               | 12,7                                                                              | 2,6/1,6                                                                           | 24                                                                                | <b>964.125.1224</b> | 3510789642256                                                                       |
| 125                                                                               | 20                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.125.2024</b> | 3510789641020                                                                       |
| 125                                                                               | 20                                                                                | 2,6/1,6                                                                           | 36                                                                                | <b>964.125.2036</b> | 3510789641037                                                                       |
| 130                                                                               | 16                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.130.1624</b> | 3510789641044                                                                       |
| 130                                                                               | 20                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.130.2024</b> | 3510789641068                                                                       |
| 130                                                                               | 20                                                                                | 2,6/1,6                                                                           | 36                                                                                | <b>964.130.2036</b> | 3510789641075                                                                       |
| 140                                                                               | 12,7                                                                              | 2,6/1,6                                                                           | 24                                                                                | <b>964.140.1224</b> | 3510789642218                                                                       |
| 140                                                                               | 20                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.140.2024</b> | 3510789641082                                                                       |
| 140                                                                               | 20                                                                                | 2,6/1,6                                                                           | 42                                                                                | <b>964.140.2042</b> | 3510789641099                                                                       |
| 150                                                                               | 20                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.150.2024</b> | 3510789641136                                                                       |
| 150                                                                               | 20                                                                                | 2,6/1,6                                                                           | 48                                                                                | <b>964.150.2048</b> | 3510789641150                                                                       |
| 150                                                                               | 30                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.150.3024</b> | 3510789641167                                                                       |
| 150                                                                               | 30                                                                                | 2,6/1,6                                                                           | 48                                                                                | <b>964.150.3048</b> | 3510789641181                                                                       |
| 160                                                                               | 16                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.160.1624</b> | 3510789641204                                                                       |
| 160                                                                               | 16                                                                                | 2,6/1,6                                                                           | 48                                                                                | <b>964.160.1648</b> | 3510789641228                                                                       |
| 160                                                                               | 20                                                                                | 1,8/1,2                                                                           | 24                                                                                | <b>964.160.1824</b> | 3510789641297                                                                       |
| 160                                                                               | 20                                                                                | 1,8/1,2                                                                           | 48                                                                                | <b>964.160.1848</b> | 3510789641396                                                                       |
| 160                                                                               | 20                                                                                | 2,2/1,6                                                                           | 24                                                                                | <b>964.160.2224</b> | 3661589043146                                                                       |
| 160                                                                               | 20                                                                                | 2,2/1,6                                                                           | 48                                                                                | <b>964.160.2248</b> | 3510789641990                                                                       |
| 160                                                                               | 20                                                                                | 2,2/1,6                                                                           | 60                                                                                | <b>964.160.2260</b> | 3661589086747                                                                       |
| 160                                                                               | 20                                                                                | 2,5/1,6                                                                           | 24                                                                                | <b>964.160.2024</b> | 3510789641235                                                                       |
| 160                                                                               | 20                                                                                | 2,5/1,6                                                                           | 48                                                                                | <b>964.160.2048</b> | 3510789641259                                                                       |
| 160                                                                               | 30                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.160.3024</b> | 3510789641273                                                                       |
| 160                                                                               | 30                                                                                | 2,6/1,6                                                                           | 48                                                                                | <b>964.160.3048</b> | 3510789641280                                                                       |

# BOIS MASSIF

## LAMES DE SCIE CIRCULAIRE

|  |  |  |  | REF                 |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------|-------------------------------------------------------------------------------------|
| 165                                                                               | 20                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.165.2024</b> | 3510785413768                                                                       |
| 165                                                                               | 20                                                                                | 2,6/1,6                                                                           | 48                                                                                | <b>964.165.2048</b> | 3510785413775                                                                       |
| 168                                                                               | 20                                                                                | 1,8/1,2                                                                           | 24                                                                                | <b>964.168.1824</b> | 3661589099778                                                                       |
| 168                                                                               | 20                                                                                | 1,8/1,2                                                                           | 48                                                                                | <b>964.168.1848</b> | 3661589099785                                                                       |
| 170                                                                               | 30                                                                                | 2,6/1,6                                                                           | 24                                                                                | <b>964.170.3024</b> | 3510789641365                                                                       |
| 170                                                                               | 30                                                                                | 2,6/1,6                                                                           | 48                                                                                | <b>964.170.3048</b> | 3510789641389                                                                       |
| 180                                                                               | 16                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.180.1624</b> | 3510789641402                                                                       |
| 180                                                                               | 16                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.180.1648</b> | 3510789641426                                                                       |
| 180                                                                               | 20                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.180.2024</b> | 3510789641433                                                                       |
| 180                                                                               | 20                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.180.2048</b> | 3510789641457                                                                       |
| 180                                                                               | 30                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.180.3024</b> | 3510789641471                                                                       |
| 180                                                                               | 30                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.180.3048</b> | 3510789641495                                                                       |
| 185                                                                               | 20                                                                                | 2,4/1,4                                                                           | 24                                                                                | <b>964.185.2424</b> | 3661589099792                                                                       |
| 185                                                                               | 20                                                                                | 2,4/1,4                                                                           | 48                                                                                | <b>964.185.2448</b> | 3661589099808                                                                       |
| 190                                                                               | 16                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.190.1624</b> | 3510789641501                                                                       |
| 190                                                                               | 16                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.190.1648</b> | 3510789641518                                                                       |
| 190                                                                               | 20                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.190.2024</b> | 3510789641532                                                                       |
| 190                                                                               | 20                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.190.2048</b> | 3510789641549                                                                       |
| 190                                                                               | étoile                                                                            | 2,5/1,6                                                                           | 24                                                                                | <b>964.190.2524</b> | 3510789642676                                                                       |
| 190                                                                               | étoile                                                                            | 2,5/1,6                                                                           | 48                                                                                | <b>964.190.2548</b> | 3510789642683                                                                       |
| 190                                                                               | 30                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.190.3024</b> | 3510789641570                                                                       |
| 190                                                                               | 30                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.190.3048</b> | 3510789641587                                                                       |
| 200                                                                               | 15                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.200.1524</b> | 3510789642362                                                                       |
| 200                                                                               | 15                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.200.1548</b> | 3510789642379                                                                       |
| 200                                                                               | 30                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.200.3024</b> | 3510789641600                                                                       |
| 200                                                                               | 30                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.200.3048</b> | 3510789641617                                                                       |
| 200                                                                               | 30                                                                                | 2,8/1,8                                                                           | 64                                                                                | <b>964.200.3064</b> | 3510789641624                                                                       |
| 210                                                                               | 30                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.210.3024</b> | 3510789641679                                                                       |
| 210                                                                               | 30                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.210.3048</b> | 3510789641686                                                                       |
| 210                                                                               | 30                                                                                | 2,8/1,8                                                                           | 64                                                                                | <b>964.210.3064</b> | 3510789641709                                                                       |
| 220                                                                               | 30                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.220.3024</b> | 3510789641754                                                                       |
| 220                                                                               | 30                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.220.3048</b> | 3510789641761                                                                       |
| 220                                                                               | 30                                                                                | 2,8/1,8                                                                           | 64                                                                                | <b>964.220.3064</b> | 3510789641778                                                                       |
| 225                                                                               | 30                                                                                | 2,5/1,8                                                                           | 32                                                                                | <b>964.225.3032</b> | 3661589079169                                                                       |
| 225                                                                               | 30                                                                                | 2,5/1,8                                                                           | 48                                                                                | <b>964.225.3048</b> | 3661589079176                                                                       |
| 230                                                                               | 30                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.230.3024</b> | 3510789641808                                                                       |
| 230                                                                               | 30                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.230.3048</b> | 3510789641815                                                                       |
| 230                                                                               | 30                                                                                | 2,8/1,8                                                                           | 64                                                                                | <b>964.230.3064</b> | 3510789641822                                                                       |

|  |  |  |  | REF                 |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------|-------------------------------------------------------------------------------------|
| 235                                                                               | 30                                                                                | 2,8/1,8                                                                           | 24                                                                                | <b>964.235.3024</b> | 3510789642157                                                                       |
| 235                                                                               | 30                                                                                | 2,8/1,8                                                                           | 48                                                                                | <b>964.235.3048</b> | 3510789642164                                                                       |
| 235                                                                               | 30                                                                                | 2,8/1,8                                                                           | 64                                                                                | <b>964.235.3064</b> | 3510789642454                                                                       |
| 240                                                                               | 30                                                                                | 3,0/2,0                                                                           | 24                                                                                | <b>964.240.3024</b> | 3510789641907                                                                       |
| 240                                                                               | 30                                                                                | 3,0/2,0                                                                           | 48                                                                                | <b>964.240.3048</b> | 3510789641914                                                                       |
| 255                                                                               | 30                                                                                | 3,2/2,2                                                                           | 24                                                                                | <b>964.255.3024</b> | 3510789642638                                                                       |
| 255                                                                               | 30                                                                                | 3,2/2,2                                                                           | 40                                                                                | <b>964.255.3040</b> | 3510789642645                                                                       |
| 255                                                                               | 30                                                                                | 3,2/2,2                                                                           | 60                                                                                | <b>964.255.3060</b> | 3510789642652                                                                       |
| 260                                                                               | 30                                                                                | 3,2/2,2                                                                           | 24                                                                                | <b>964.260.3024</b> | 3510789641945                                                                       |
| 260                                                                               | 30                                                                                | 3,2/2,2                                                                           | 40                                                                                | <b>964.260.3040</b> | 3510789641952                                                                       |
| 260                                                                               | 30                                                                                | 3,2/2,2                                                                           | 60                                                                                | <b>964.260.3060</b> | 3510789641969                                                                       |
| 270                                                                               | 30                                                                                | 3,2/2,2                                                                           | 24                                                                                | <b>964.270.3024</b> | 3510789642249                                                                       |
| 270                                                                               | 30                                                                                | 3,2/2,2                                                                           | 40                                                                                | <b>964.270.3040</b> | 3510789642232                                                                       |
| 280                                                                               | 30                                                                                | 3,2/2,2                                                                           | 28                                                                                | <b>964.280.3028</b> | 3510789642010                                                                       |
| 280                                                                               | 30                                                                                | 3,2/2,2                                                                           | 48                                                                                | <b>964.280.3048</b> | 3510789642027                                                                       |
| 280                                                                               | 30                                                                                | 3,2/2,2                                                                           | 68                                                                                | <b>964.280.3068</b> | 3510789642034                                                                       |
| 315                                                                               | 30                                                                                | 3,2/2,3                                                                           | 28                                                                                | <b>964.315.3028</b> | 3510789641891                                                                       |
| 330                                                                               | 30                                                                                | 3,2/2,2                                                                           | 24                                                                                | <b>964.330.3024</b> | 3661589079190                                                                       |
| 330                                                                               | 30                                                                                | 3,2/2,2                                                                           | 40                                                                                | <b>964.330.3040</b> | 3661589079206                                                                       |
| 335                                                                               | 30                                                                                | 3,2/2,3                                                                           | 36                                                                                | <b>964.335.3036</b> | 3510789642065                                                                       |
| 355                                                                               | 30                                                                                | 3,2/2,3                                                                           | 24                                                                                | <b>964.355.3024</b> | 3510789642089                                                                       |
| 355                                                                               | 30                                                                                | 3,2/2,3                                                                           | 40                                                                                | <b>964.355.3040</b> | 3510789642096                                                                       |
| 410                                                                               | 30                                                                                | 3,6/2,6                                                                           | 28                                                                                | <b>964.410.3028</b> | 3510789641792                                                                       |
| 415                                                                               | 30                                                                                | 3,6/2,6                                                                           | 36                                                                                | <b>964.415.3036</b> | 3510789642119                                                                       |